

19th March 24

				AD THE NOTES SECTION			
Normal = Physically Compatible		This version su (Italics in brackets) = Sprayable with Continuous A		s all previous editions Red on Blue = PHYSICALLY INCOMPATIBLE		RED ON BLUE = CROP INJURY	
BOLD CAPITALS = Physically & Biologically Compatible		(BOLD ITALICS IN BRACKETS) = Biologically com	-				
Herbicides							
FOR DEFY READ ACROSS TO CLEANCROP COMPLY, CLEA FOR STOMP 400 EC READ ACROSS TO ANTHEM, CLAYM			WICKET				FC
ALLY MAX SX READ ACROSS TO ALIAS SX, ANSWER SX, A ACROSS TO CONCERT SX AND PENNANT	AVRO SX, BIPL	AY SX, CHIMERA SX, CLEANCROP MONDIAL, FINY, FI	NISH SX, GRO	OPPER SX, INKA SX, JUBILEE SX, LORATE, PRESITE	SX, RATIO SX, RI	EFINE MAX SX, SIMBA SX, TRATON SX. FOR HARM	IONY M SX REA
ALIAS SX ALLY MAX SX	ww	FINISH SX FIREBIRDØ	ww	MOSAIC SX MOST MICRO + QUIDAMØ	ww	SLALOM* SPITFIRE* (0.75 L/ha)	ww
ALLY MAX SX + STOMP 400 SC		Fox		NEVADA* (0.75 L/ha)	ww	SPITFIRE* + TOPIK [#] +/- ACTIROB B	ww
ANSWER SX	ww	GALAXY * GARTREL*	ww	NEVADA* + TOPIK [#] +/- ACTIROB B ORIENT Ø	ww	STARANE Hi-Load HL STARANE Hi-Load HL + STOMP 400 SCØ	ww
AVRO SX Axial Pro	ww	GARTREL* GARTREL* + TOPIK [#] +/- ACTIROB B	ww	Parana		STARANE HI-LOAD HL + STOMP 400 SCØ STARANE XL*	ww
ARTON WG*	ww	GF-184*	ww	PENNANT	ww	STARANE XL* + STOMP 400 SC Ø	ww
BIPLAY SX BOXER*	ww	Giddo GROPPER SX	ww	PicoMax Ø PICONA + PIXXARO + BIOSYL Ø	ww	(STOMP AQUA) (add first)Ø STOMP AQUA + ZYPAR + BIOSYLØ	ww
ALIBRE SX	ww	HARMONY M SX	ww	PICONA + ZYPAR + BIOSYLØ	ww	STOMP 400 Ø	ww
CHIMERA SX	ww	HERBOXONE HIKER*	ww	PICONA Ø PicoPro Ø	ww	STOMP 400 EC + TOPIKØ STOMP 400 EC + TOWERØ	ww
Cinder + Kantor/Spryte Aqua)Ø		HUNTER*	ww	PicoStomp Ø	ww	STOMP 400 EC + ZYPAR +BIOSYLØ	ww
Cinder + Kinetic)Ø	ww	HURRICANE + PIXXARO + BIOSYLØ HURRICANE + ZYPAR + BIOSYLØ	ww	PIXXARO PIXXARO + STOMP 400 SC + BIOSYLØ	ww	Sunfire + BiosylØ System 50 + Bio SylØ	
CLEANCROP MONDIAL	ww	HURRICANEØ	ww	PIXXARO + STOMP 400 SC + BIOSTLØ PIXXARO + STOMP AQUA + BIOSYLØ	ww	TAXI	
CONCERT SX	ww	(Ice)Ø		POLO (14 day interval)		THOR	ww
Crystal + Activator 90)Ø :YCLOPS + PIXXARO + BIOSYL	ww	INKA SX JUBILEE SX	ww	PRESITE SX PROSPECT + STOMP 400 SC	ww	TOPIK [#] Tower	ww
YCLOPS + ZYPAR + BIOSYL	ww	Lantern + BiosylØ		Quirinus +BiosylØ		TRATON SX	ww
DAKOTA*	ww	LiberatorØ LIBERATOR + PIXXARO + BIOSYLØ	ww	RATIO SX REFINE MAX SX	ww	(Trooper)Ø XERTON + Biosyl	wv
Dicamba products (14 day interval)	ww	LIBERATOR + ZYPAR + BIOSYLØ	ww	SAXON (14 day interval)		ZYPAR*	ww
DUPLOSAN KV	ww	LORATE	ww	Seduce			
DUPLOSAN KV + STOMP 400 SCØ	ww	MCPA (14 day interval)		SIMBA SX			
Fungicides Agate + Abacus	1	CYFLAMID	ww	LIBRAX	ww	(Provyto XE)	
AMISTAR	ww	Decoy 250EC		LIBRAX + MIRROR	ww	(Revystar XE)	
RIZONA	ww	(Decoy 250EC + Kavatur + Mojave)		LIBRAX + MOJAVE	ww	SAKURA	
IRIZONA + AVIATOR 235 XPRO	ww	(Decoy 250EC + Mojave + Serpent) (Decoy 250EC + Mojave + Silvron Xpro)		LIBRAX + TALIUS Manitoba	ww	Sentinel** SERPENT	ww
RIZONA + LIBRAX	ww	(Diadem XE)		Mirador Extra		SKYWAY 285 XPRO	
RIZONA + PROSARO Ascra Xpro)		DITHANE 945 ELATUS ERA	ww	MIRAGE MIRROR	ww	SPARTICUS XPRO SWIFT SC	ww
AVIATOR 235 XPRO	ww	ELATUS ERA + MIRROR	ww	MIRROR + PROSARO		SYREX	ww
AVIATOR 235 XPRO + COLORADO	ww	ELATUS ERA + MOJAVE	ww	(Mivyto XE)		TALIUS	ww
AVIATOR 235 XPRO + CYFLAMID AVIATOR 235 XPRO + MIRROR	ww	ELATUS ERA + TALIUS FANDANGO	ww	MOJAVE (Mojave + Myresa + Syrex)	ww	TALIUS + VAREON + ACTIVATOR 90 TOLEDO	
AVIATOR 235 XPRO + MOJAVE	ww	Flyer 200		MOJAVE + PROSARO		TOLEDO + BIO SYL 1%	
AVIATOR 235 XPRO + TALIUS Azoxystar	ww	(Flyer 200 + Mojave + Vegas) FOLICUR		(Mojave + Vegas) Monkey + Abacus		ULYSSES ULYSSES + BIO SYL 1%	
Boogie Xpro		(Firefly)		Orius P + Abacus		UNIX	ww
CARAMBA 90 COLORADO	ww	Guardian** (Impact)		Phoenix Platoon 250		VAREON + BIO SYL Variano Xpro	
COLORADO + ELATUS ERA	ww	(Impact) (Imtrex)		PRIAXOR	ww	VEGAS	ww
COLORADO + LIBRAX	ww	(lodus) biofungicide elicitor		PROLINE 275	ww	Tucana	
COLORADO + PROSARO COMET 200	ww	JAUNT Kansas	ww	PROSARO** PROSARO** + TALIUS	ww	(Verydor XE) Vivid	
nsecticides Don't mix with OP insecticides, as	notential cron	damage due to a counteraction of the safener, leav	ve at least a 1	l4 day interval		1	-
Contest		HALLMARK ZEON CS	ww	Markate 50		PERMASECT 500 EC	ww
Clayton Sparta		Karate 2.5 WG		(Mavrik + Activator 90)		(Sven)	
Decis Protech)		Kusti		(Mavrik + Bio Syl)			
Adjuvants Abacus -1% of spray vol		Bio Syl - 1.0% of spray vol aka Cogent Procam,		Intracrop Felix - 0.5% of spray vol		Spryte Aqua - 0.5% of spray vol + X-Change	
Activator 90 - 0.1% of spray vol		Tonto Frontier, Boost Zantra		Intracrop Verrior - 0.5 % of spray vol		Spryte Aqua - 0.5% of Spray vol + X-Change	
Activator 90 - 0.1% of spray vol + X-Change Arma - 0.1% of spray vol		Buzz - 0.1% of spray vol Drill - 0.5% of spray vol		Kantor - 0.15% of spray vol (Nelson)		Torpedo II - 0.1% of spray vol Viking - 0.5% of spray vol	
Arma - 0.1% of spray voi Biopower - 1l/ha		Fortune - 0.5% of spray vol		Respond - 0.5% of spray vol		(X-change)	
io Syl - 1.0 % of spray vol + X-Change		Diamond - 0.5% of spray vol		Spartan - 0.1% of spray vol			
Growth Regulators Leave 7 day interval for f	1	When tank mixing use Broadway Star + adjuvant	plus half rate				
\DJUST (< half dose)† 3C CHLORMEQUAT 750 (<half dose)†<="" td=""><td>ww</td><td>CANOPY</td><td></td><td>METEOR MODDUS</td><td></td><td>TERPAL</td><td></td></half>	ww	CANOPY		METEOR MODDUS		TERPAL	
· • •	1		<u> </u>			1	-
Frace Elements For Liquid fertilisers - leave a thr Bortrac 3 L)	ee uay interva	Liquid Mn 15% 3 L		Master Manganese Plus		(Proleaf Quattro)	
Calfite Extra)		(Magflo 300 4 L)		MaxMan 400 (add trace element first)		(Proleaf Rock)	
Coptrel 0.5 L Croplift 5 kg)		(Magistrate) Magphos K 10 L		Max-phi Manganese Mensa + Abacus		(Rapitrel 3 L) Safe-N 10 L	
Epso Top + Abacus)		(Mancozin 2 L)		(Multiple Pro)		SMART ATS	
oliar Potash 10 L MC BORON 15	ww	(Mancufio 2 L) MANIFOL	ww	(NTS Triple Ten) (Nutrino-Pro)		SMART MagiiK Manganese SMART Manganese	
FMC Brock)	wW	MANIFOL Mantrac 500 1 L	ww	Nutri-Phite PGA		(Stem)	
MC COPPER	ww	MANTRAC DF 3 kg	ww	(Proleaf Gate)		Stopit 10 L	
MC Mn 500 MC SUPER 80	ww	Maize Boost 5 L Master Magnesium + TE + pH modifier Optiphol	-	(Proleaf Jettzin) (Proleaf Manganese Extra)		Sulphur F3000 10 L (Terrasorb Foliar Extra)	
			1			Zintrac 700 1 L	
COMBINATION MIXES							
		(Duploan K)/ / Acar Varal					1
HERBICIDES PLUS FUNGICIDES Ally Max SX + Aviator 235 Xpro + Talius Ally Max SX + Prosaro**		(Duplosan KV + Ascra Xpro) STOMP 400 SC + AMISTAR Ø	ww	STOMP 400 SC + UNIX Ø Zypar + Aviator 235 Xpro	ww	Zypar + Prosaro** Zypar + Prosaro** + Talius	
lly Max SX + Aviator 235 Xpro + Talius			ww		ww		

Ally Max SX + FMC Copper		Spitfire* + Nutri-Phite PGA		STOMP 400 SC + FMC SUPER 80 Ø	ww	Zypar* + FMC Jett + Biosyl		
Galaxy* + Nutri-Phite PGA		STOMP 400 SC + FMC BORON 15 Ø	ww	STOMP 400 SC + FMC ZINC		Zypar* + FMC Manganese 400 + Biosyl		
PIXXARO + FMC JETT + BIOSYL	ww	STOMP 400 SC + FMC COPPER Ø	ww	STOMP 400 SC + MANIFOL Ø	ww			
PIXXARO + FMC MANGANESE + BIOSYL	ww	STOMP 400 SC + FMC Mn 500 Ø	ww	STOMP 400 SC + MANTRAC DF 3 kg	ww			
INSECTICIDES PLUS TRACE ELEMENTS								
Hallmark Zeon + Max-phi Manganese		(Karate 2.5 WG + FMC Brock)	1					

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience[™] gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. **Important Note**: Do not use any tank-mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank-mix restrictions apply. Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899 Physical Compatibility data is based on the results of an industry recognised standand test. Be aware that in the field, water hardness, PH, Hemperature etc. can vary. Biological compatibility data are based on the results of field trials, Corteva Agriscience[®] cannot warrant the reduces of other tank-mix partners. Where only Physical Compatibility, or Spray able with Continuous Agitation is shown, Corteva Agriscience[®] has no biological data regarding efficacy or crop safety and only has data on physical Compatibility, so growers use these mixes at their own risk.

NOTES Broady vay Star should always be used with an approved adjuvant

Topik is supported in mix with Broadway Star up to the end of February. Ø Residual herbicides can be used in mixture or short sequence with Broadway Star, while conditions are favourable for both products to work and weeds are small and actively growing. However, once soil moisture declines to reduce residual activity then a 4 week interval between the residual herbicide and an application of Broadway Star is recommended to maximise grass weed control and the tank-mix is no longer supported. * Do not exceede maximum total disco of florasulum within growing season ** Do not use this mix if the crop is under stress as there is the increased risk of an additive PGR effect and possible crop damage

+ Corteva Agriscience only support Broadway Star in a 2-way tank mix with half rate chlormeguat due to crop safety issues. An intervals of at least 7 days must be regarded before applying a higher rate of chlormeguat or any other PGR.

Do not mix Broadway Star With OPs, MCPA and Dicamba For products containing MCPA or Dicamba respect a 14 day interval between them and Broadway Star. Do not harrow or roll within 7 days before or after an application of Broadway Star.

Updates
Products Removed - Absolute, Ally Express, Aria, Bullion, Ductis SX, Exceed SX, Excelibur, GEX 353, Headland Surefire Gold, Image, Lexus SX, Oklar SX, Oriel SX, Oxytril CM, Primus 25EC, Quantum SX, Staka SX, Triad, Acanto, Acanto Prima, Centaur, Demeo, Ennobe, Excelsior, Flamenco, Landmark, Menara, Olympus SC, Orka, Poraz, Torch, Torch Extra, Dimethoate
26th November 2019 - added Lattern, Tower
27ad January 2020 - changed Toppel 10 to Permasect 500 EC; 28th January 2021 - removal of withdrawn products; 15th March 2021 - addition of Azoxystar; 22nd March 2021 - addition of Calfite Extra, Firefly, Impact, Iodus, Multiple Pro, Sakura and Terrasorb Foliar Extra, removal of multi-way mixes with
Defy, 23rd March 2021 - addition of Biogower, Monkey and Orius P; 24th March 2021 - addition of Revystar XE and alternative brands, Diadem XE, Mivyto XE, Provyto XE, and Verydor XE; 29th April 2021 - updated list to include Silvron Pro, Kavatur Plus, Myresa, Sven
and additional trace elements; Phi March 2022 - addition of Servisar XE and alternative brands, Diadem XE, Mivyto XE, Provyto XE, and Verydor XE; 29th April 2021 - updated list to include Silvron Pro, Kavatur Plus, Myresa, Sven
and additional trace elements; Phi March 2023 - addition of Servisar XE and alternative brands, VI; 3rd November 2022 - Support level for Toledo and Ulysses products changed; 8th December 2022 addition of Servisar XE and alternative Area April 2021 - updated list on include 2011 on Servisar XE and addition of Stem

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE. FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

on tonks in vonks in volk of naces of the second s

Broadway Star contains florasulam and pyroxsulam Technical Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.co.uk



19th March 2024

	BRO	ADWAY STAR® TANK-M		APATIBILITY in SPRING	WHEA	ſ		
PLEASE NOT	E THE MAX	IMUM DOSE RATE OF BROADWAY STA	R IN SPRI	NG WHEAT IS 200G/HA. APPLICATION	IS FROM 1	ST MARCH ONLY		
	SPRING WH	EAT IS DEFINED AS ANY WHEAT PLANT	ED AFTER	1ST FEBRUARY REGARDLESS OF VAR	ETAL BREEL	DING	1	
				THE NOTES SECTION				
		This version sup	ersedes a	all previous editions				
Normal = Physically Compatible		(Italics in brackets) = Sprayable with Continuous Ag	gitation	Red on Blue = PHYSICALLY INCOMPATIBLE		RED ON BLUE = CROP INJURY		
BOLD CAPITALS = Physically & Biologically Compatible		(BOLD ITALICS IN BRACKETS) = Biologically con						
							1	
Herbicides NO JOINT APPLICATIONS WITH ALS CONTAINING PRODU								
			1	1				
AXIAL PRO	SW	DUPLOSAN KV		PIXXARO + BIOSYL	SW			
Fungicides								
ARIZONA	sw	COLORADO	sw	ELATUS ERA + MOJAVE	sw	(Mojave + Vegas)		
ARIZONA + AVIATOR 235 XPRO	sw	COLORADO + ELATUS ERA		ELATUS ERA + TALIUS	sw	MOJAVE + PROSARO		
ARIZONA + ELATUS ERA	sw	COLORADO + LIBRAX	SW	(Flyer + Mojave + Vegas)		PRIAXOR	sw	
ARIZONA + LIBRAX	SW	COLORADO + PROSARO		Guardian*		PROLINE 275	SW	
ARIZONA + PROSARO		COMET 200	SW	LIBRAX	sw	PROSARO*	sw	
(Ascra Xpro)		CYFLAMID	SW	LIBRAX + MIRROR	sw	PROSARO* + TALIUS	sw	
AVIATOR 235 XPRO	sw	DECOY 250EC	sw	LIBRAX + MOJAVE	sw	(Provyto XE)		
AVIATOR 235 XPRO + CYFLAMID	sw	(Decoy 250EC + Kavatur Plus + Mojave)		LIBRAX + TALIUS	sw	(Revystar XE)		
AVIATOR 235 XPRO + MIRROR	sw	(Decoy 250EC + Mojave + Serpent)		MIRROR	sw	Sentinel *		
AVIATOR 235 XPRO + MOJAVE	sw	(Decoy 250EC + Mojave + Silvron Pro)		MIRROR + PROSARO		TALIUS	sw	
AVIATOR 235 XPRO + TALIUS	sw	(Diadem XE)		(Mivyto XE)		VEGAS	sw	
AVIATOR 235 XPRO + VEGAS	SW	ELATUS ERA	SW	MOJAVE	SW	(Verydor XE)		
AVIATOR XPRO + COLORADO	SW	ELATUS ERA + MIRROR	SW	(Mojave + Myresa + Syrex)				
Insecticides Don't mix with OP insecticides, as	potential crop	damage due to a counteraction of the safener, leave	at least a 14	day interval				
Clayton Sparta		HALLMARK WITH ZEON	SW	KUSTI	sw	(Sven)		
		-						
Adiusanta	1	4	1	ł	1			
Adjuvants		1		1				
Abacus -1% of spray vol		Bio Syl - 1.0% of spray vol aka Cogent Procam,		Intracrop Felix - 0.5% of spray vol		Spryte Aqua - 0.5% of spray vol + X-Change		
Activator 90 - 0.1% of spray vol		Tonto Frontier, Boost Zantra		Intracrop Warrior - 0.5 % of spray vol		Spryte Aqua CF		
Activator 90 - 0.1% of spray vol + X-Change		Buzz - 0.1% of spray vol		Kantor - 0.15% of spray vol (Nelson)		Torpedo II - 0.1% of spray vol		
Arma - 0.1% of spray vol Biopower - 1l/ha		Drill - 0.5% of spray vol				Viking - 0.5% of spray vol		
		Fortune - 0.5% of spray vol Diamond - 0.5% of spray vol		Respond - 0.5% of spray vol Spartan - 0.1% of spray vol		(X-change)		
Bio Syl - 1.0 % of spray vol + X-Change		Diamond - 0.5% of spray voi		Spartan - 0.1% of spray vol				
Growth Regulators Leave 7 day interval for fu	ll rate PGRs.	When tank mixing use Broadway Star + adjuvant plu	us half rate C	C only†	1		_	
3C CHLORMEQUAT 750 (<half dose)†<="" td=""><td>sw</td><td></td><td></td><td></td><td></td><td></td><td></td></half>	sw							
Trace Elements For Liquid fertilisers - leave a three	e dav interval							
(Bortrac 3 L)		Liquid Mn 15% 3 L		Master Manganese Plus		(Proleaf Quattro)		
(Calfite Extra)		(Magflo 300 4 L)		MaxMan 400 (add trace element first)		(Proleaf Rock)		
Coptrel 0.5 L		(Magistrate)		Max-phi Manganese		(Rapitrel 3 L)		
(Croplift 5 kg)		Magphos K 10 L		Mensa + Abacus		Safe-N 10 L		
(Epso Top + Abacus)		(Mancozin 2 L)		(Multiple Pro)		SMART ATS		
Foliar Potash 10 L		(Mancuflo 2 L)		(NTS Triple Ten)		SMART MagiiK Manganese		
FMC BORON 15	ww	MANIFOL	ww	(Nutrino-Pro)		SMART Manganese		
(FMC Brock)		Mantrac 500 1 L		Nutri-Phite PGA		(Stem)		
FMC COPPER	ww	MANTRAC DF 3 kg	ww	(Proleaf Gate)		Stopit 10 L		
FMC Mn 500	ww	Maize Boost 5 L		(Proleaf Jettzin)		Sulphur F3000 10 L		
FMC SUPER 80	ww	Master Magnesium + TE + pH modifier Optiphol		(Proleaf Manganese Extra)		(Terrasorb Foliar Extra)		
	1		1	(Proleaf Quattro)		Zintrac 700 1 L		

COMBINATION MIXES

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience egives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's

risk. Important Note: Do not use any tank-mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank-mix restrictions apply. Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 B99 Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience¹⁴⁴ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Spray able with Continuous Agitation is shown, Corteva Agriscience¹⁴⁴ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own rick

NOTES

Broadway Star should always be used with an approved adjuvant.

* Do not use this mix if the crop is under stress as there is the increased risk of an additive PGR effect and possible crop damage. † Corteva Agriscience only support Broadway Star in a 2-way tank mix with half rate chlormequat due to crop safety issues. An intervals of at least **7 days** must be regarded before applying a higher rate of chlormequat or any other PGR.

Do not mix Broadway Star With OPs, MCPA and Dicamba For products containing MCPA or Dicamba respect a 14 day interval between them and Broadway Star. Do not harrow or roll within 7 days before or after an application of Broadway Star.

Updates New tank-mix list 26th January 2021 - removal of withdrawn products; 22nd March 2021 - addition of Calfite Extra, Multiple Pro and Terrasorb Foliar Extra; 23rd March 2021 - addition of adjuvants; 24th March 2021 - addition of Nelson; 13th April 2021 - addition of Revystar XE and alternative brands, Diadem XE, Mivyto XE, Provyto XE, and Verydor XE 29th April 2021 - updated list to include Silvron Pro, Kavatur Plus, Myresa, Sven and additional trace elements; 8 September 21 - alteration to support offered with tebuconazole containing products; 9th March 22 - removal of withdrawn products and addition of Spryte Aqua CF; 3rd May 2022 - addition of Ascra Xpro; 8th December 2022 - addition of Sentinel; 1st February 23 - addition of Guardian: 9th May 23 - addition of NTS Triple Ten: 19th March 24 - addition of Stem

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE. FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL Corteva Agriscience^{an}, CPC2 Capital Park, Fulbourn, Cambridge, Cambridgeshire, CB21 SSE. Tei: +44 (0) 1462 457272. ¹⁰⁰ Trademarks of Corteva Agriscience and its affiliated companies. All other brand names are trademarks of other manufacturers for which proprietary rights may exist. Broadway Star contains florasium and pyrossulam and pyrossulam Technical Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.co.uk