

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000198	Date of first issue: 08.04.2024

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Ireland and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ZORVEC ENDAVIA™

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fungicide

1.3 Details of the supplier of the safety data sheet

COMPANY IDENTIFICATION

Manufacturer/importer

Corteva Agriscience UK Limited
Melbourn Science Park - Cambridge Road - Unit H4, Building H
Melbourn Cambridgeshire - SG8 6HB
UNITED KINGDOM

Customer Information : +44 8006 89 8899

Number

E-mail address : SDS@corteva.com

1.4 Emergency telephone number

SGS : +353 818 663 627

National Poisons Information Centre (Beaumont Hospital): 01 809 2166 (8 AM - 10 PM)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container to a licensed waste disposal contractor or collection site except for empty clean triple rinsed containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

White mineral oil (petroleum)
Benthiavalicarb-isopropyl

Additional Labelling

EUH208 Contains Benthiavalicarb-isopropyl. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 10 %

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 10 %

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. REACH Registration number	Classification	Concentration (% w/w)
oxathiapiprolin (ISO)	1003318-67-9 613-332-00-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1	3.2
Benthiavalicarb-isopropyl	177406-68-7	Skin Sens. 1; H317 Carc. 2; H351 Aquatic Chronic 3; H412	7.6
Ethylhexanol	104-76-7 203-234-3 01-2119487289-20	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)	>= 1 - < 3
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	1335202-81-7 932-231-6 01-2119560592-37	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 1 - < 2.5

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000198	Date of first issue: 08.04.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Never give anything by mouth to an unconscious person.
- If inhaled : Move to fresh air.
Artificial respiration and/or oxygen may be necessary.
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off immediately with soap and plenty of water.
In the case of skin irritation or allergic reactions see a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : If easy to do, remove contact lens, if worn.
Hold eye open and rinse slowly and gently with water for 15-20 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Obtain medical attention.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
If victim is conscious:
Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No cases of human intoxication are known and the symptoms of experimental intoxication are not known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion prod- : Nitrogen oxides (NOx)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. Wash hands and face before breaks and immediately after handling the product. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. Remove clothing/PPE immediately if material gets inside. For environmental protection remove and wash all contaminated protective equipment before re-use. Dispose of rinse water in accordance with local and national regulations.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a closed container. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

7.3 Specific end use(s)

Specific use(s) : Plant protection products subject to Regulation (EC) No 1107/2009.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
White mineral oil	8042-47-5	Occupational	5 mg/m ³	IE OEL

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

(petroleum)		exposure limit value (8-hour reference period) (inhalable fraction)		
Ethylhexanol	104-76-7	Limit Value - eight hours	1 ppm 5.4 mg/m3	2017/164/EU
Further information: Indicative				
		Occupational exposure limit value (8-hour reference period)	1 ppm 5.4 mg/m3	IE OEL
		8-hr TWA	2 ppm	Corteva OEL
Propanediol	57-55-6	Occupational exposure limit value (8-hour reference period) (particles)	10 mg/m3	IE OEL
		Occupational exposure limit value (8-hour reference period) (total (vapour and particles))	150 ppm 470 mg/m3	IE OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Glycerides, mixed decanoyl and octanoyl	Workers	Inhalation	Long-term systemic effects	177.79 mg/m3
	Workers	Skin contact	Long-term systemic effects	25.21 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	43.84 mg/m3
	Consumers	Skin contact	Long-term systemic effects	12.61 mg/kg bw/day
Ethylhexanol	Consumers	Ingestion	Long-term systemic effects	12.61 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	12.8 mg/m3
	Workers	Inhalation	Long-term local effects	53.2 mg/m3
	Workers	Inhalation	Acute local effects	53.2 mg/m3
	Workers	Skin contact	Long-term systemic effects	23 mg/kg bw/day
	Workers	Inhalation	Acute local effects	106.4 mg/m3
	Consumers	Inhalation	Long-term systemic effects	2.3 mg/m3
	Consumers	Inhalation	Long-term local effects	26.6 mg/m3
	Consumers	Inhalation	Acute local effects	26.6 mg/m3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

	Consumers	Skin contact	Long-term systemic effects	11.4 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1.1 mg/kg bw/day
Propanediol	Workers	Inhalation	Long-term local effects	10 mg/m ³
	Workers	Inhalation	Long-term systemic effects	168 mg/m ³
	Consumers	Inhalation	Long-term local effects	10 mg/m ³
	Consumers	Inhalation	Long-term systemic effects	50 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Glycerides, mixed decanoyl and octanoyl	Oral (Secondary Poisoning)	0.03 mg/kg food
Ethylhexanol	Fresh water	0.017 mg/l
	Intermittent use/release	0.17 mg/l
	Marine water	0.002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.284 mg/kg dry weight (d.w.)
	Marine sediment	0.028 mg/kg dry weight (d.w.)
	Soil	0.047 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	55 mg/kg food
Propanediol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg
	Marine sediment	57.2 mg/kg
	Soil	50 mg/kg

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.
Use sufficient ventilation to keep employee exposure below recommended limits.

Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166
Additionally wear a face shield where the possibility exists for face contact due to splashing, spraying or airborne contact with this material.

Hand protection

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Please observe the instructions regarding

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000198	Date of first issue: 08.04.2024

permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Gauntlets of 35 cm long or longer shall be worn over the combination sleeve. Before removing gloves clean them with soap and water.

Skin and body protection

: Manufacturing and processing work:
Full protective clothing Type 6 (EN 13034)

Spray application - outdoor:
Tractor / sprayer with hood:
No personal body protection normally required.

Tractor / sprayer without hood:
Full protective clothing Type 4 (EN 14605)
Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Backpack / knapsack sprayer:
Full protective clothing Type 4 (EN 14605)
Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

When exceptional circumstances require an access to the treated area before the end of re-entry periods, wear full protective clothing Type 6(EN 13034), nitrile rubber gloves class 3 (EN 374) and nitrile rubber boots (EN 13832-3 / EN ISO 20345).

To optimize the ergonomics it may be recommended to use cotton underwear when wearing some fabrics. Take advice from supplier.

Garment materials that are resistant to both water vapour and air will maximise wearing comfort. Materials should be robust to maintain the integrity and barrier in use.

The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure.

Mixer and loaders must wear:
Full protective clothing Type 6 (EN 13034)
Rubber apron
Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000198	Date of first issue: 08.04.2024

Respiratory protection : Manufacturing and processing work:
Half mask with vapour filter A1 (EN 141)

Mixer and loaders must wear:
Half mask with vapour filter A1 (EN 141)

Spray application - outdoor:
Tractor / sprayer with hood:
No personal respiratory protective equipment normally required.

Tractor / sprayer without hood:
Half mask with a particle filter FFP1 (EN149)

Backpack / knapsack sprayer:
Half mask with a particle filter P1 (EN 143).

Mechanical automatized spray application in closed tunnel:
No personal respiratory protective equipment normally required.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated.
Only protected handlers may be in the area during application.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: off-white
Odour	: none
Odour Threshold	: not determined
Melting point/freezing point	: Not applicable
Boiling point/boiling range	: > 100 °C

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : > 200 °C
Method: Regulation (EC) No. 440/2008, Annex, A.9, closed cup

Auto-ignition temperature : 239 °C
Method: Regulation (EC) No. 440/2008, Annex, A.15

pH : 5.7 (25 °C)
(neat)

6.1 (25 °C)
(1% dispersion)

Viscosity
Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Solubility(ies)
Water solubility : dispersible

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : not determined

Relative density : 0.85 - 0.95

Density : No data available

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive
Method: Regulation (EC) No. 440/2008, Annex, A.14

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000198	Date of first issue: 08.04.2024

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : No data available

Evaporation rate : No data available

Surface tension : not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

No decomposition if stored and applied as directed.
Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
None known.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong acids
Strong bases

10.6 Hazardous decomposition products

Carbon oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Components:

oxathiapiprolin (ISO):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Benthiavalicarb-isopropyl:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 4.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Ethylhexanol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Target Organs: Central nervous system

Acute inhalation toxicity : LC50 (Rat): 2.17 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

LC50 (Rat): 1.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg
Method: OECD Test Guideline 402

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

Acute oral toxicity : LD50 (Rat, female): 4,445 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

Skin corrosion/irritation

Product:

Species : EpiDerm™ skin model
Exposure time : 1 h
Method : OECD Test Guideline 439
Result : No skin irritation

Components:

oxathiapiprolin (ISO):

Species : Rabbit
Result : No skin irritation

Benthiavalicarb-isopropyl:

Species : Rabbit
Result : No skin irritation

Ethylhexanol:

Species : Rabbit
Result : Skin irritation

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Product:

Species : Bovine cornea
Exposure time : 0.5 h
Result : No eye irritation

Components:

oxathiapiprolin (ISO):

Species : Rabbit
Result : No eye irritation

Benthiavalicarb-isopropyl:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Ethylhexanol:

Species : Rabbit
Result : Eye irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

Species : Rabbit
Result : Corrosive

Respiratory or skin sensitisation

Components:

oxathiapiprolin (ISO):

Test Type : Maximisation Test
Species : Guinea pig
Result : Does not cause skin sensitisation.

Benthiavalicarb-isopropyl:

Species : Guinea pig
Assessment : May cause sensitisation by skin contact.

Ethylhexanol:

Test Type : HRIPT (human repeat insult patch test)
Species : human
Assessment : Does not cause skin sensitisation.

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

oxathiapiprolin (ISO):

Germ cell mutagenicity- Assessment : Animal genetic toxicity studies were negative.

Benthiavalicarb-isopropyl:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative.

Ethylhexanol:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000198	Date of first issue: 08.04.2024

Carcinogenicity

Components:

oxathiapiprolin (ISO):

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Benthiavalicarb-isopropyl:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Has caused cancer in laboratory animals.

Ethylhexanol:

Carcinogenicity - Assessment : In laboratory animals, evidence of carcinogenic activity was observed., There is no evidence that these findings are relevant to humans.

Reproductive toxicity

Components:

oxathiapiprolin (ISO):

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Animal testing did not show any effects on foetal development.

Benthiavalicarb-isopropyl:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Did not cause birth defects or any other fetal effects in laboratory animals.

Ethylhexanol:

Reproductive toxicity - Assessment : Has caused birth defects in laboratory animals only at doses toxic to the mother., Has been toxic to the fetus in laboratory animals at doses toxic to the mother., These concentrations exceed relevant human dose levels.

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Did not cause birth defects or any other fetal effects in laboratory animals.

STOT - single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

Components:

oxathiapiprolin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Benthiavalicarb-isopropyl:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Ethylhexanol:

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

STOT - repeated exposure

Components:

oxathiapiprolin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

oxathiapiprolin (ISO):

Remarks : Based on available data, repeated exposures are not expected to cause significant adverse effects except at very high aerosol concentrations. Repeated excessive aerosol exposures may cause respiratory tract irritation and even death.

Ethylhexanol:

Remarks : In animals, effects have been reported on the following organs:
Blood.
Kidney.
Liver.
Spleen.

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

Aspiration toxicity

Product:

No aspiration toxicity classification

Components:

oxathiapiprolin (ISO):

Based on available information, aspiration hazard could not be determined.

Benthiavalicarb-isopropyl:

Based on physical properties, not likely to be an aspiration hazard.

Ethylhexanol:

May be harmful if swallowed and enters airways.

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

Based on physical properties, not likely to be an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 120 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 17 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 120 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

Test Type: static test
Method: OECD Test Guideline 201

Toxicity to terrestrial organisms : oral LD50: > 330.9 µg/bee
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213

contact LD50: 459.5 µg/bee
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213

Components:

oxathiapiprolin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.69 mg/l
Exposure time: 96 h
Test Type: Static

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 0.74 mg/l
Exposure time: 96 h
Test Type: Static

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.65 mg/l
Exposure time: 96 h
Test Type: static test
Method: OPPTS 850.1075
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.67 mg/l
Exposure time: 48 h
Test Type: Static

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 0.351 mg/l
Exposure time: 96 h

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.142 mg/l
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.46 mg/l
Exposure time: 88 d
Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 0.34 mg/l
Exposure time: 35 d
Species: Cyprinodon variegatus (sheepshead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.75 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

NOEC: 0.058 mg/l
Exposure time: 32 d
Species: Americamysis bahia (mysid shrimp)
Test Type: flow-through test

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to terrestrial organisms : LD50: > 2,250 mg/kg
Species: Colinus virginianus (Bobwhite quail)
Method: OPPTS 850.2100

LD50: > 2,250 mg/kg
Species: Poephila guttata (zebra finch)
Method: OPPTS 850.2100

dietary LC50: > 5,620 mg/kg
Exposure time: 5 d
Species: Colinus virginianus (Bobwhite quail)
Method: OECD Test Guideline 205

dietary LC50: > 5,620 mg/kg
Exposure time: 5 d
Species: Anas platyrhynchos (Mallard duck)
Method: OECD Test Guideline 205

Benthiavalicarb-isopropyl:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): > 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC: > 10 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 10 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Ethylhexanol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 32 - 37 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

- LC50 (Fathead minnow (*Pimephales promelas*)): 28.2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : LC50 (*Daphnia magna* (Water flea)): 35.2 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- EC50 (*Daphnia magna* (Water flea)): 39 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202 or Equivalent
- Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 11.5 mg/l
End point: Growth rate inhibition
Exposure time: 72 h
Method: OECD Test Guideline 201 or Equivalent
- Toxicity to microorganisms : EC50 (Bacteria): 256 - 320 mg/l
Exposure time: 16 h

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

- Toxicity to fish : LC50 (Fish): > 1 - 10 mg/l
Exposure time: 96 h
Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2.9 mg/l
Exposure time: 48 h
Test Type: static test
- Toxicity to algae/aquatic plants : EC50 (Algae): 29 mg/l
Exposure time: 96 h
Test Type: static test
- Toxicity to microorganisms : EC50 (Bacteria): 550 mg/l
Exposure time: 3 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0.23 mg/l
Exposure time: 72 d
Species: Fish
Test Type: flow-through test
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.18 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Test Type: flow-through test

12.2 Persistence and degradability

Product:

- Biodegradability : Remarks: Not readily biodegradable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

Components:

oxathiapiprolin (ISO):

Biodegradability : Result: Not readily biodegradable.

Benthiavalicarb-isopropyl:

Biodegradability : Result: Not biodegradable

Ethylhexanol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 95 %
Exposure time: 5 d
Method: OECD Test Guideline 302B or Equivalent
Remarks: 10-day Window: Not applicable

Biodegradation: 68 %
Exposure time: 17 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Pass

Photodegradation : Test Type: Half-life (indirect photolysis)
Sensitiser: OH radicals
Rate constant: 1.32E-11 cm³/s
Method: Estimated.

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Pass

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Components:

oxathiapiprolin (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 62

Benthiavalicarb-isopropyl:

Partition coefficient: n-octanol/water : log Pow: 2.52 - 2.59
pH: 5 - 9

Ethylhexanol:

Partition coefficient: n- : log Pow: 3.1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000198	Date of first issue: 08.04.2024

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Components:

Benthiavalicarb-isopropyl:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Ethylhexanol:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Oxathiapiprolin)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Oxathiapiprolin)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Oxathiapiprolin)
IATA : Environmentally hazardous substance, liquid, n.o.s.
(Oxathiapiprolin)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000198	Date of first issue: 08.04.2024

Remarks : Stowage category A

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes(Oxathiapiprolin)

14.6 Special precautions for user

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your ven-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000198	Date of first issue: 08.04.2024

dor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

SECTION 16: Other information

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H351	: Suspected of causing cancer.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version 1.0 Revision Date: 08.04.2024 SDS Number: 800080000198 Date of last issue: -
Date of first issue: 08.04.2024

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
Corteva OEL	:	Corteva Occupational Exposure Limit
IE OEL	:	List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
2017/164/EU / TWA	:	Limit Value - eight hours
Corteva OEL / TWA	:	8-hr TWA
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

EC-Number - European Community number REACH - Regulation (EC) No 1907/2006 of the European Parliament and of Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.

Further information

Classification of the mixture:

Skin Sens. 1	H317
Carc. 2	H351
Aquatic Chronic 2	H411

Classification procedure:

Calculation method
Calculation method
Calculation method

Product code: GF-3862

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



ZORVEC ENDAVIA™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000198	Date of first issue: 08.04.2024

IE / 6N