

SAFETY DATA SHEET

CORTEVA AGRISCIENCE CANADA COMPANY

Product name: Lumivia[™] Insecticide Seed Treatment Issue Date: 05/11/2021

CORTEVA AGRISCIENCE CANADA COMPANY encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container.

1. IDENTIFICATION

Product name: Lumivia™ Insecticide Seed Treatment

Recommended use of the chemical and restrictions on use

Identified uses: Insecticide

Uses advised against: Do not use product for anything outside of the above specified uses.

COMPANY IDENTIFICATION

CORTEVA AGRISCIENCE CANADA COMPANY #2450, 215 - 2ND STREET S.W. CALGARY AB, T2P 1M4

CANADA

Customer Information Number : 800-667-3852

E-mail address : solutions@corteva.com

EMERGENCY TELEPHONE

2. HAZARDS IDENTIFICATION

Hazard classification

This product is hazardous under the criteria of the Hazardous Products Regulation (HPR) as implemented under the Workplace Hazardous Materials Information System (WHMIS 2015). Acute toxicity - Category 4 - Inhalation

Label elements Hazard pictograms



Signal Word: WARNING!

Hazards

Harmful if inhaled.

Precautionary statements

Prevention

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Use only outdoors or in a well-ventilated area.

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Other hazards

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

| Component | CASRN | Concentration |
|--------------------------------|-------------|-------------------|
| Chlorantraniliprole | 500008-45-7 | 50.0% |
| Propanediol | 57-55-6 | >= 3.0 - < 10.0 % |
| Glycerol | 56-81-5 | >= 3.0 - < 10.0 % |
| Alcohols, C12-C15, ethoxylated | 68131-39-5 | >= 0.3 - < 1.0 % |

4. FIRST AID MEASURES

Description of first aid measures

General advice:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies involving this product, call toll free 1-888-226-8832. See Label for Additional Precautions and Directions for Use.

Inhalation: No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.

Skin contact: The material is not likely to be hazardous by skin contact, but cleaning the skin after use is advisable. Consult a physician if necessary.

Eye contact: No specific intervention is indicated as the compound is not likely to be hazardous. If in eyes, rinse with water for 15 minutes. Consult a physician if necessary.

Ingestion: No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed **Notes to physician:** Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water spray Alcohol-resistant foam

Unsuitable extinguishing media: None known.

Special hazards arising from the substance or mixture Hazardous combustion products: No data available

Unusual Fire and Explosion Hazards: Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.

Advice for firefighters

Fire Fighting Procedures: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation. Use personal protective equipment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: If the product contaminates rivers and lakes or drains inform respective authorities. Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Clean up remaining materials from spill with suitable absorbant. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to overpressurization of the container. Keep in suitable, closed containers for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). See Section 13, Disposal Considerations, for additional information.

7. HANDLING AND STORAGE

Precautions for safe handling: Avoid formation of aerosol. Provide sufficient air exchange and/or exhaust in work rooms. Do not breathe vapours/dust. Do not smoke. Handle in accordance with good industrial hygiene and safety practice. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Keep container tightly closed. Take care to prevent spills, waste and

minimize release to the environment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Use with local exhaust ventilation.

Conditions for safe storage: Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Do not store with the following product types: Strong oxidizing agents.

Unsuitable materials for containers: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

Consult local authorities for recommended exposure limits.

| Component | Regulation | Type of listing | Value/Notation |
|-------------|------------|---------------------|------------------|
| Propanediol | US WEEL | TWA | 10 mg/m3 |
| | CA ON OEL | TWAEV Total | 155 mg/m3 50 ppm |
| | CA ON OEL | TWAEV | 10 mg/m3 |
| | CA ON OEL | TWA | 155 mg/m3 50 ppm |
| | CA ON OEL | TWA | 10 mg/m3 |
| | CA ON OEL | TWA Vapour and | 155 mg/m3 50 ppm |
| | | aerosols | |
| | CA ON OEL | TWA aerosol | 10 mg/m3 |
| Glycerol | CA AB OEL | TWA Mist | 10 mg/m3 |
| | CA BC OEL | TWA Mist | 10 mg/m3 |
| | CA BC OEL | TWA Respirable mist | 3 mg/m3 |
| | CA QC OEL | TWAEV Mist | 10 mg/m3 |

Exposure controls

Engineering controls: Ensure adequate ventilation, especially in confined areas. Use sufficient ventilation to keep employee exposure below recommended limits.

Hygiene measures: Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing.

Protective measures: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hotwater. Keep and wash PPE separately from other laundry.

Individual protection measures

Eye/face protection: See skin and body protection

Skin protection

Hand protection: See skin and body protection

Other protection: Applicators and other handlers must wear: Long sleeved shirt and long pants Shoes plus socks Applicators and other handlers of the diluted material must wear: shirt, pants, socks and shoes.

PPE required for early entry to treated areas that is permitted underthe Worker Protection Standard and that involves contact with anythingthat has been treated, such as plants, soil, or water, is: Long sleeved shirt and long pants Shoes plus socks

Respiratory protection: See skin and body protection

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state viscous liquid

Color white Odor slight

Odor Threshold

pH

4 - 9 at 10 g/L

Melting point/range

No data available

Freezing point

No data available

No data available

No data available

No data available

Flash point No flash up to boiling point.

Evaporation Rate (Butyl Acetate

= 1)

No data available

Flammability (solid, gas) The product is not flammable.

Lower explosion limitNo data availableUpper explosion limitNo data availableVapor PressureNo data availableRelative Vapor Density (air = 1)No data availableRelative Density (water = 1)No data available

Water solubility dispersible

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperatureNo data availableDecomposition temperatureNo data availableDynamic Viscositynot determinedKinematic ViscosityNo data availableExplosive propertiesNo data available

Oxidizing properties The substance or mixture is not classified as oxidizing.

Liquid Density 1.23 - 1.27 g/cm3 **Molecular weight** No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

10. STABILITY AND REACTIVITY

Reactivity: Not classified as a reactivity hazard.

Chemical stability: No decomposition if stored and applied as directed. Stable under normal conditions.

Possibility of hazardous reactions: May form explosive dust-air mixture.

No hazards to be specially mentioned.

Conditions to avoid: None known.

Incompatible materials: None.

Hazardous decomposition products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

Acute toxicity

Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product:

LD50, Rat, > 5,000 mg/kg OECD Test Guideline 425

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product:

LD50, Rat, > 5,000 mg/kg OECD Test Guideline 402

Acute inhalation toxicity

Brief exposure to dust is not likely to cause adverse effects. Prolonged excessive exposure may cause adverse effects.

As product:

LC50, Rat, 4 Hour, dust/mist, > 4.1 mg/l OECD Test Guideline 403

Skin corrosion/irritation

Brief contact may cause skin irritation with local redness.

Serious eye damage/eye irritation

Product test data not available. Refer to component data.

Sensitization

For skin sensitization:

Did not demonstrate the potential for contact allergy in mice.

For respiratory sensitization:

No relevant information found.

Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

Evaluation of available data suggests that this material is not an STOT-RE toxicant.

Carcinogenicity

Did not cause cancer in laboratory animals.

Teratogenicity

Did not cause birth defects in laboratory animals.

Reproductive toxicity

In animal studies, did not interfere with reproduction.

Mutagenicity

Did not show mutagenic effects in animal experiments.

Aspiration Hazard

Based on available information, aspiration hazard could not be determined.

COMPONENTS INFLUENCING TOXICOLOGY:

Chlorantraniliprole

Serious eye damage/eye irritation

May cause slight temporary eye irritation.

Propanediol

Serious eye damage/eye irritation

May cause slight temporary eye irritation. Corneal injury is unlikely. Mist may cause eye irritation.

Glycerol

Serious eye damage/eye irritation

May cause slight temporary eye irritation. Corneal injury is unlikely.

Alcohols, C12-C15, ethoxylated

Serious eye damage/eye irritation

May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

12. ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

General Information

Environmental Hazards: Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. See product label for additional application instructions relating to environmental precautions. No other ecological effects to be specially mentioned.

Toxicity

Acute toxicity to fish

As product:

LC50, Danio rerio (zebra fish), 96 Hour, > 3.26 mg/l, OECD Test Guideline 203

As product:

LC50, Danio rerio (zebra fish), static test, 96 Hour, > 7.74 mg/l, OECD Test Guideline 203

Acute toxicity to aquatic invertebrates

As product:

EC50, Daphnia magna (Water flea), 48 Hour, 0.00717 mg/l, OECD Test Guideline 202

Acute toxicity to algae/aquatic plants

ErC50, Pseudokirchneriella subcapitata (green algae), 72 Hour, > 3.54 mg/l, OECD Test Guideline 201

Persistence and degradability

Propanediol

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic conditions (in the absence of oxygen).

10-day Window: Pass **Biodegradation:** 81 % **Exposure time:** 28 d

Method: OECD Test Guideline 301F or Equivalent

10-day Window: Not applicable

Biodegradation: 96 % Exposure time: 64 d

Method: OECD Test Guideline 306 or Equivalent

Theoretical Oxygen Demand: 1.68 mg/mg

Chemical Oxygen Demand: 1.53 mg/mg

Biological oxygen demand (BOD)

| Incubation | BOD |
|------------|----------|
| Time | |
| 5 d | 69.000 % |
| 10 d | 70.000 % |
| 20 d | 86.000 % |

Photodegradation

Atmospheric half-life: 10 Hour

Method: Estimated.

Glycerol

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability.

10-day Window: Not applicable

Biodegradation: 63 % **Exposure time:** 14 d

Method: OECD Test Guideline 301C or Equivalent

Theoretical Oxygen Demand: 1.22 mg/mg

Alcohols, C12-C15, ethoxylated

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. 10-day Window: Fail **Biodegradation:** 61 % **Exposure time:** 28 d

Method: OECD Test Guideline 301B or Equivalent

Bioaccumulative potential

Chlorantraniliprole

Partition coefficient: n-octanol/water(log Pow): 2.76 at 20 °C

Propanediol

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): -1.07 Measured

Bioconcentration factor (BCF): 0.09 Estimated.

Glycerol

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3). **Partition coefficient:** n-octanol/water(log Pow): -1.76 at 20 °C Measured

Alcohols, C12-C15, ethoxylated

Partition coefficient: n-octanol/water(log Pow): 3.4 estimated

Bioconcentration factor (BCF): 81.07 Calculated.

Mobility in soil

Propanediol

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): < 1 Estimated.

Glycerol

Potential for mobility in soil is very high (Koc between 0 and 50).

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Partition coefficient (Koc): 1 Estimated.

Alcohols, C12-C15, ethoxylated

No relevant data found.

13. DISPOSAL CONSIDERATIONS

Disposal methods: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

14. TRANSPORT INFORMATION

TDG

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

UN number UN 3082

Class 9
Packing group III

Classification for SEA transport (IMO-IMDG):

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(Chlorantraniliprole)

UN number UN 3082

Class 9
Packing group III

Marine pollutant Chlorantraniliprole

Transport in bulk Consult IMO regulations before transporting ocean bulk

according to Annex I or II of MARPOL 73/78 and the

IBC or IGC Code

Classification for AIR transport (IATA/ICAO):

Proper shipping name Environmentally hazardous substance, liquid,

n.o.s.(Chlorantraniliprole)

UN number UN 3082

Class 9
Packing group III

Further information:

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

NOT REGULATED PER TDG EXEMPTION 1.45.1 FOR ROAD OR RAIL

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. REGULATORY INFORMATION

Canadian Domestic Substances List (DSL)

This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements.

Pest Control Products Act

Pest Control Products Act (PCPA) Registration Number: 32154

Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:

PCPA Label Hazard Communications:

Read the label and booklet before using.

This product is toxic to: Aquatic organisms

Birds

Treated seed is toxic to birds.

16. OTHER INFORMATION

Revision

Identification Number: 011000007465 / Issue Date: 05/11/2021 / Version: 7.0

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

| CA AB OEL | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) |
|-----------|---|
| CA BC OEL | Canada. British Columbia OEL |
| CA ON OEL | Canada. Ontario OELs |

| CA QC OEL | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: |
|-----------|---|
| | Permissible exposure values for airborne contaminants |
| TWA | 8-hr TWA |
| TWAEV | time-weighted average exposure value |
| US WEEL | USA. Workplace Environmental Exposure Levels (WEEL) |

Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation: DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS -Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC -Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO -International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

CORTEVA AGRISCIENCE CANADA COMPANY urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

CA