according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : Straxan

Other means of identification : No data available

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE CANADA COMPANY

#2450, 215 - 2ND STREET S.W.

CALGARY AB, T2P 1M4

CANADA

Customer Information

Number

: 800-667-3852

E-mail address : solutions@corteva.com

Emergency telephone

number

: CANUTEC

1-888-226-8832

Recommended use of the chemical and restrictions on use

Recommended use : End use fungicide product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 2

Reproductive toxicity : Category 2

GHS label elements

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Hazard pictograms :





Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H361 Suspected of damaging fertility or the unborn child.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
metalaxyl (ISO)	metalaxyl (ISO)	57837-19-1	1.22
Difenoconazole	Difenoconazole	119446-68-3	3.58
tebuconazole (ISO)	tebuconazole (ISO)	107534-96-3	0.44

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Propylene glycol Propylene glycol 57-55-6 4.26

SECTION 4. FIRST AID MEASURES

If inhaled : Remove to fresh air if effects occur. Call a poison control cen-

ter or doctor for treatment advice.

In case of skin contact : Take off contaminated clothing. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center

or doctor for treatment advice.

In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-

20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control

center or doctor for treatment advice.

If swallowed : Immediately call a poison control center or doctor. Do not

induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give

anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Mild eye irritant

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may

be toxic and/or irritating.

Combustion products may include and are not limited to:

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Prevent from entering into soil, ditches, sewers, underwater.

See Section 12, Ecological Information.

Methods and materials for containment and cleaning up

Clean up remaining materials from spill with suitable absorbant

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

be pumped,

Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-

pressurization of the container.

Keep in suitable, closed containers for disposal. Wipe up with absorbent material (e.g. cloth, fleece).

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

See Section 13, Disposal Considerations, for additional infor-

mation.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Persons susceptible to skin sensitisation problems or asthma,

allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Do not breathe vapours/dust.

Do not smoke.

Handle in accordance with good industrial hygiene and safety

practice

Avoid exposure - obtain special instructions before use. Smoking, eating and drinking should be prohibited in the ap-

plication area.

Do not get on skin or clothing. Avoid inhalation of vapour or mist.

Do not swallow.

Avoid contact with skin and eyes.

Avoid contact with eyes.

Take care to prevent spills, waste and minimize release to the

environment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
		exposure)	concentration	
Propylene glycol	57-55-6	TWA (Va- pour and aerosols)	50 ppm 155 mg/m3	CA ON OEL
		TWA (aero- sol)	10 mg/m3	CA ON OEL

Engineering measures : Engineering methods to prevent or control exposure are pre-

ferred. Methods include process or personnel enclosure, mechanical ventilation (local exhaust), and control of process

conditions.

Personal protective equipment

Respiratory protection : Wear NIOSH approved air-purifying respirator with an organ-

ic vapor cartridge and/or dust/mist filter.

Hand protection

Remarks : Chemical-resistant gloves Wash and dry hands.

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Eye protection : Wear safety glasses or coverall chemical splash goggles.

Ensure that eyewash stations and safety showers are close

to the workstation location.

Skin and body protection : Avoid all skin contact. Selection of specific personal protec-

tive equipment such as long sleeves, safety glasses with side shields, face shield, safety shoes, boots, apron, or full body

suit will depend on the task.

Protective measures : All Personal Protection Equipment should be checked before

use toconfirm it is compatible with the chemicals you are

handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid.

Colour : red

Odour : No odor information provided

Odour Threshold : No data available

pH : 5.2

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : Method: closed cup

No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Solubility(ies)

Water solubility : No data available

Auto-ignition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.

Stable under normal conditions.

Possibility of hazardous reac- :

tions

Stable under recommended storage conditions.

No hazards to be specially mentioned.

None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition

products

Decomposition products depend upon temperature, air supply

and the presence of other materials.

Decomposition products can include and are not limited to:

Carbon oxides

Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: For similar material(s):

Acute inhalation toxicity : LC50 (Rat): > 2.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Symptoms: No deaths occurred at this concentration. Assessment: The substance or mixture has no acute inhala-

tion toxicity

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Components:

metalaxyl (ISO):

Acute oral toxicity : LD50 (Rat): 669 mg/kg

Acute inhalation toxicity : Remarks: Brief exposure to dust is not likely to cause adverse

effects.

Dust may cause irritation to upper respiratory tract (nose and

throat).

LC50 (Rat): > 3.6 mg/l Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 6,000 mg/kg

Difenoconazole:

Acute oral toxicity : Remarks: Low toxicity if swallowed.

Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however,

swallowing larger amounts may cause injury.

LD50 (Rat): > 1,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3,300 mg/m3

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,010 mg/kg

tebuconazole (ISO):

Acute oral toxicity : LD50 (Rat, female): 1,700 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Propylene glycol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 317.042 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Symptoms: No deaths occurred at this concentration.

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Mist may cause irritation of upper respiratory tract

(nose and throat).

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Symptoms: No deaths occurred at this concentration.

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Components:

metalaxyl (ISO):

Result : No skin irritation

Difenoconazole:

Species : Rabbit

Result : No skin irritation

tebuconazole (ISO):

Result : No skin irritation

Propylene glycol:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Components:

metalaxyl (ISO):

Result : No eye irritation

Difenoconazole:

Result : Eye irritation

Propylene glycol:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Product:

Assessment : May cause sensitisation by skin contact.

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Components:

metalaxyl (ISO):

Assessment : Does not cause skin sensitisation.

Remarks : Did not cause allergic skin reactions when tested in guinea

pigs.

Remarks : For respiratory sensitization:

No relevant data found.

Difenoconazole:

Result : Does not cause skin sensitisation.

tebuconazole (ISO):

Remarks : For skin sensitization:

Did not cause allergic skin reactions when tested in guinea

pigs.

Remarks : For respiratory sensitization:

No relevant data found.

Propylene glycol:

Species : human

Assessment : Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Germ cell mutagenicity -

Assessment

: In vitro tests showed mutagenic effects

Components:

metalaxyl (ISO):

Germ cell mutagenicity -

Assessment

Assessment

In vitro genetic toxicity studies were negative., Animal genetic

toxicity studies were negative.

Propylene glycol:

Germ cell mutagenicity -

In vitro genetic toxicity studies were negative., Animal genetic

toxicity studies were negative.

Carcinogenicity

Components:

metalaxyl (ISO):

Carcinogenicity - Assess-

ment

: Did not cause cancer in laboratory animals.

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

tebuconazole (ISO):

Carcinogenicity - Assess-

ment

: Did not cause cancer in laboratory animals.

Propylene glycol:

Carcinogenicity - Assess-

ment

Did not cause cancer in laboratory animals.

Reproductive toxicity

Components:

metalaxyl (ISO):

Reproductive toxicity - As-

sessment

In animal studies, did not interfere with reproduction., In ani-

mal studies, did not interfere with fertility.

Did not cause birth defects in laboratory animals.

tebuconazole (ISO):

Reproductive toxicity - As-

sessment

Suspected human reproductive toxicant

In animal studies, has been shown to interfere with reproduc-

tion.

Propylene glycol:

Reproductive toxicity - As-

sessment

: In animal studies, did not interfere with reproduction., In ani-

mal studies, did not interfere with fertility.

Did not cause birth defects or any other fetal effects in labora-

tory animals.

STOT - single exposure

Components:

metalaxyl (ISO):

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

Difenoconazole:

Assessment : Available data are inadequate to determine single exposure

specific target organ toxicity.

tebuconazole (ISO):

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

Propylene glycol:

Assessment : Evaluation of available data suggests that this material is not

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

an STOT-SE toxicant.

STOT - repeated exposure

Components:

Difenoconazole:

Assessment : Evaluation of available data suggests that this material is not

an STOT-RE toxicant.

Repeated dose toxicity

Components:

metalaxyl (ISO):

Remarks : Based on available data, repeated exposures are not antici-

pated to cause significant adverse effects.

tebuconazole (ISO):

Remarks : No relevant data found.

Propylene glycol:

Remarks : In rare cases, repeated excessive exposure to propylene gly-

col may cause central nervous system effects.

Aspiration toxicity

Components:

metalaxyl (ISO):

Based on physical properties, not likely to be an aspiration hazard.

Difenoconazole:

Based on physical properties, not likely to be an aspiration hazard.

tebuconazole (ISO):

Based on physical properties, not likely to be an aspiration hazard.

Propylene glycol:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

metalaxyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 28 mg/l

Exposure time: 48 h

EC50 (eastern oyster (Crassostrea virginica)): 4.6 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Algae): 33 mg/l

Exposure time: 120 h

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

Remarks: Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2000 mg/kg)., Material is practically

non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

oral LD50 (Coturnix japonica (Japanese quail)): 923 mg/kg

bodyweight.

oral LD50 (Anas platyrhynchos (Mallard duck)): 1466 mg/kg

bodyweight.

dietary LC50 (Anas platyrhynchos (Mallard duck)): > 10000

mg/kg diet.

oral LD50 (Apis mellifera (bees)): 269.3 μg/bee

contact LD50 (Apis mellifera (bees)): > 200 µg/bee

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Difenoconazole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.891 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.77 mg/l

Exposure time: 48 h

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

09/29/2023 750075100496 Date of first issue: 09/29/2023 1.0

tebuconazole (ISO):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.8 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic

plants

ErC50 (Algae (Selenastrum capricornutum)): 3.8 mg/l

End point: Growth rate Exposure time: 72 h

Method: Method Not Specified.

ErC50 (Lemna gibba): 0.237 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox- :

icity)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.01 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

10

Ecotoxicology Assessment

Acute aquatic toxicity Very toxic to aquatic life.

Propylene glycol:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

> Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)):

19,000 mg/l

End point: Growth rate inhibition

Exposure time: 96 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l

End point: number of offspring

Exposure time: 7 d

Test Type: semi-static test

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

Persistence and degradability

Components:

metalaxyl (ISO):

Biodegradability : Result: Not readily biodegradable.

Remarks: Degradation is expected in the soil environment

within days to weeks.

Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biode-

gradable under environmental conditions.

tebuconazole (ISO):

Biodegradability : Result: Readily biodegradable.

Remarks: Material is expected to be readily biodegradable.

Propylene glycol:

Biodegradability : aerobic

Result: Readily biodegradable.

Biodegradation: 81 % Exposure time: 28 d

Method: OECD Test Guideline 301F or Equivalent

Remarks: 10-day Window: Pass

Biodegradation: 96 % Exposure time: 64 d

Method: OECD Test Guideline 306 or Equivalent Remarks: 10-day Window: Not applicable

Biochemical Oxygen De-

mand (BOD)

69.000 %

Incubation time: 5 d

70.000 %

Incubation time: 10 d

86.000 %

Incubation time: 20 d

Chemical Oxygen Demand

(COD)

1.53 kg/kg

ThOD : 1.68 kg/kg

Photodegradation : Rate constant: 1.28E-11 cm3/s

Method: Estimated.

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Bioaccumulative potential

Components:

metalaxyl (ISO):

Partition coefficient: n-

octanol/water

log Pow: 1.75 (25 °C)

Remarks: Bioconcentration potential is low (BCF < 100 or Log

Pow < 3).

tebuconazole (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 78

Partition coefficient: n-

octanol/water

log Pow: 3.49

Remarks: Bioconcentration potential is low (BCF < 100 or Log

Pow < 3).

Propylene glycol:

Bioaccumulation : Bioconcentration factor (BCF): 0.09

Method: Estimated.

Partition coefficient: n-

octanol/water

: log Pow: -1.07

Method: Measured Remarks: Bioconcentration potential is low (BCF < 100 or Log

Pow < 3).

Mobility in soil

Components:

metalaxyl (ISO):

Distribution among environ-

mental compartments

Koc: 29.6 - 283.8

Remarks: Potential for mobility in soil is very high (Koc be-

tween 0 and 50).

Stability in soil

tebuconazole (ISO):

Distribution among environmental compartments Remarks: No relevant data found.

Propylene glycol:

Distribution among environ-

mental compartments

Koc: < 1

Method: Estimated.

Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be

an important fate process.

Potential for mobility in soil is very high (Koc between 0 and

50).

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Other adverse effects

Components:

metalaxyl (ISO):

Results of PBT and vPvB

assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

tebuconazole (ISO):

Results of PBT and vPvB

assessment

: This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

Propylene glycol:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according

to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regu-

lations.

If the material as supplied becomes a waste, follow all appli-

cable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Difenoconazole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Difenoconazole)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 964

ger aircraft)

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Difenoconazole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : yes(Difenoconazole) Remarks : Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Difenoconazole)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(Difenoconazole)

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

For Canadian Ground transportation TDG Exemption: 1.45.1 Marine Pollutants (Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, do not apply if they are in transport solely on land by road vehicle or railway vehicle).

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

DSL : This product contains components that are not listed on the

Canadian DSL nor NDSL.

Pest Control Products Act (PCPA) Registration Number : 34928

Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:

PCPA Label Hazard Communications:

Read the label and booklet before using. Keep out of reach of children.

This product is toxic to: Aquatic organisms Birds Small wild mammals

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air

according to the Hazardous Products Regulations



Straxan

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2023 750075100496 Date of first issue: 09/29/2023

Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

DSL - Domestic substances List. WHMIS - Workplace Hazardous Materials Information System.

Revision Date : 09/29/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / 6N