

NEW

Milestone™ NXT

Rinskor™ active

HERBICIDE

Milestone™ NXT herbicide with Rinskor™ active for the industrial vegetation management professional delivers highly selective control of invasive broadleaf weed species along with lower use rates and tank-mix flexibility.

WHY USE MILESTONE™ NXT HERBICIDE WITH RINSKOR™ ACTIVE?

- **Favourable environmental profile.** Rinskor™ active rapidly degrades in the soil and has a low persistence in the environment.
- **New weed management tool:** Rinskor active is a new structural class of synthetic auxin herbicide
- **Excellent extended control of invasive broadleaf weeds:**
 - Consistent weed control across variable conditions
 - Lower and flexible use rates
- **Selective.** When applied at recommended rates, provides effective control of labeled weeds and does not harm grass or other desirable plant species.

WEEDS CONTROLLED

Absinth wormwood

Annual sowthistle¹⁴

Bitter sneezeweed

Bull thistle

Canada fleabane¹

Canada thistle

Cleavers¹²

Clover

Common broomweed

Common ragweed

Common waterhemp³

Cudweed

Curly dock

Fireweed

Fuller's teasel

Hairy buttercup

Hairy fleabane

Horsenettle

Lamb's quarters¹³

Mullein

Musk or nodding thistle

Orange hawkweed¹¹

Ox-eye daisy⁶

Perennial sowthistle

Plumeless thistle

Poison hemlock

Prickly lettuce

Purple loosestrife

Rush skeletonweed

Scentless chamomile

Scotch thistle

Spotted Knapweed

Tall buttercup

Tall ironweed

Tansy ragwort

Tropic croton

Tropical soda apple⁷

Velvetleaf²

Western ragweed

Wild caraway

Wild chervil¹⁵

Wild parsnip

Yellow star thistle⁴

WEEDS SUPPRESSED

Canada goldenrod

Common yarrow

Common tansy

Dandelion

Diffuse knapweed⁸

Japanese knotweed¹⁰

Sulphur cinquefoil⁵

Russian knapweed⁹

Bolded weeds are additional weeds controlled with Milestone NXT vs Milestone™ herbicide.

¹ Canada fleabane: Bolting up to 20 cm

² Velvetleaf: Up to 3 leaf and 8 cm

³ Common waterhemp: Up to 3 leaf and 8 cm

⁴ Yellow star thistle: Apply to plants at the rosette through bolting growth stage

⁵ Sulphur cinquefoil: apply to plants in the prebud stage of development.

⁶ Ox-eye daisy: Apply to plants in the pre-bud stages of development

⁷ Tropical soda apple: Apply to any growth stage but application by flowering will reduce seed production

⁸ Diffuse knapweed: Apply to plants in the bolting stage of development

⁹ Russian knapweed: Apply to plants in the spring and summer that are in the bud to flowering stage

¹⁰ Japanese knotweed: Apply to plants 0.9-1.2 m tall

¹¹ Orange hawkweed: For seasonal and 12 month control, apply to plants in the bolting stage of development.

¹² Cleavers: Up to 10 cm

¹³ Common lamb's quarter: Prior to budding stage

¹⁴ Annual sowthistle: Up to 3 cm

¹⁵ Wild chervil: Up to budding stage and 40 cm

USE GUIDELINE

RATES AND PACKAGING:

PACKAGING	2 x 2.8 kg case
ACRES TREATED	28 ha/case at highest labelled rate. For best results, apply at 200 g/ha. Milestone™ NXT herbicide with Rinskor™ active requires the addition of Gateway™ adjuvant at 0.25 - 0.5% v/v.
INDIVIDUAL PLANT APPLICATIONS	2 g of Milestone NXT, 50 ml of surfactant in 10 L of water. Thoroughly wet, but not to point of runoff.
WATER VOLUME	Broadcast applications: Apply in a minimum of 200 L/ha total solution.

WHEN TO APPLY:

WEEDS	Apply to target weeds after emergence, prior to flowering when actively growing. Only weeds present at time of application will be controlled. Avoid applying to plants under stress.
--------------	---

RAINFAST: 4 hours

TANK MIXES:

LABELLED (when total vegetation control is desired):	Garlon™ XRT, glyphosate or Arsenal herbicides. Refer to product label for rates.																
OTHER TANK MIXES (Supported Under PMRA Tank-Mix Policy):	Contact your Corteva Agriscience™ IVM Expert.																
2,4-D	<p>Tank mix Milestone NXT from 117-200 g/ha with 2,4-D for enhanced spectrum of control on the following weeds:</p> <table border="0"> <tr> <td>Annual sow thistle</td> <td>Flixweed</td> </tr> <tr> <td>Bluebur</td> <td>Goat's beard</td> </tr> <tr> <td>Blue lettuce</td> <td>Gumweed</td> </tr> <tr> <td>Burdock (<4 leaf)</td> <td>Hawkweed</td> </tr> <tr> <td>Canada goldenrod</td> <td>Hoary cress</td> </tr> <tr> <td>Cocklebur</td> <td>Peppergrass</td> </tr> <tr> <td>Common plantain</td> <td>Stinging nettle</td> </tr> <tr> <td>Common tansy</td> <td>Sweet clover</td> </tr> </table> <p><i>Refer to product label for complete use directions.</i></p>	Annual sow thistle	Flixweed	Bluebur	Goat's beard	Blue lettuce	Gumweed	Burdock (<4 leaf)	Hawkweed	Canada goldenrod	Hoary cress	Cocklebur	Peppergrass	Common plantain	Stinging nettle	Common tansy	Sweet clover
Annual sow thistle	Flixweed																
Bluebur	Goat's beard																
Blue lettuce	Gumweed																
Burdock (<4 leaf)	Hawkweed																
Canada goldenrod	Hoary cress																
Cocklebur	Peppergrass																
Common plantain	Stinging nettle																
Common tansy	Sweet clover																
GARLON™ XRT	Tank mix Milestone NXT at 100-200 g/ha with 2.5 - 5 L/ha of Garlon™ XRT herbicide for broad spectrum control of broadleaf weeds, woody plants and tree species. <i>Refer to product label for complete use directions.</i>																

GRAZING: Grazing/feeding is permitted on the day of application (0 days). There is no restriction on livestock grazing treated areas.

USE AROUND TREES: Milestone NXT should NOT be used over the top of desirable trees. Application may be made up to the dripline (outermost edge of the branches) of desirable trees. Use additional caution around lateral root systems, shallow rooting species and those that propagate vegetatively through layering.